

**RESOLUTION NO. PC 2026-\_\_\_\_\_**

**A RESOLUTION OF THE PLANNING COMMISSION OF THE CITY OF FONTANA ADOPTING AN ADDENDUM TO THE ENVIRONMENTAL IMPACT REPORT FOR THE SOUTHWEST INDUSTRIAL PARK SPECIFIC PLAN (SCH NO. 2009091089), AND APPROVING DESIGN REVIEW NO. 24-0013 FOR SITE AND ARCHITECTURAL REVIEW OF A NEW 492,240 SQUARE FOOT INDUSTRIAL COMMERCE CENTER BUILDING, WITH ASSOCIATED SITE IMPROVEMENTS, ON APPROXIMATELY 22.23 GROSS ACRES LOCATED AT 14970 JURUPA AVENUE (APNS: 0237-121-03 & 0237-122-07).**

**WHEREAS**, 14790 Jurupa Avenue, also identified as Assessor Parcel Numbers ("APN") 0237-121-03 and 0237-122-07 ("Project Site"), were annexed from San Bernardino County into the City of Fontana on June 19, 1964; and

**WHEREAS**, on April 14, 2024, the City of Fontana ("City") received an application from Prologis ("Applicant"), for a Design Review ("DRP No. 24-0013"), to develop a new 492,240 square foot logistics and distribution warehouse and associated site improvements, at the Project Site ("Project"); and

**WHEREAS**, the Project Site has a General Plan Land Use designation of Light Industrial (I-L) and is located within the Southwest Industrial Park Specific Plan/Jurupa North Research and Development District (JND), which allows for such projects; and

**WHEREAS**, pursuant to the California Environmental Quality Act (Pub. Res. Code §§ 2100 et seq.) ("CEQA"), and the State CEQA guidelines (14 Cal. Code Regs. §§ 15000 et seq.), the City, acting as the lead agency under CEQA, previously determined that an Environmental Impact Report (EIR) must be prepared to evaluate and disclose all potential significant environmental impacts associated with the Southwest Industrial Park Specific Plan; and

**WHEREAS**, on June 12, 2012, the City certified the Final Environmental Impact Report ("FEIR") (SCH No. 2009091089) for the Southwest Industrial Park Specific Plan. The FEIR consists of the Draft EIR, comments received during the 45-day public review and comment period on the Draft EIR, written responses to those comments, and revisions documented in an errata section. For purposes of this Resolution, the term "FEIR" refers to the Draft EIR as revised by the errata, along with all other sections comprising the Final EIR; and

**WHEREAS**, pursuant to CEQA, when taking subsequent discretionary actions on a project for which an EIR has been certified, the lead agency is required to review any changed circumstances to determine whether any of the circumstances under Public Resources Code section 21166 and State CEQA Guidelines Section 15162 require

additional environmental review; and

**WHEREAS**, pursuant to CEQA Guidelines section 15164, a lead agency shall prepare an addendum to a previously certified EIR if some changes or additions are necessary but none of the conditions described in Section 15162 calling for preparation of a subsequent EIR have occurred; and

**WHEREAS**, the City evaluated the proposed Project in light of the standards for subsequent environmental review outlined in Public Resources Code section 21166, State CEQA Guidelines section 15162 and the City of Fontana's 2019 Local Guidelines for Implementing CEQA and concluded that the proposed Project would not result in new significant environmental effects or a substantial increase in the severity of previously identified significant effects that were previously disclosed in the FEIR and therefore, no subsequent EIR or mitigated negative declaration is required; and

**WHEREAS**, the proposed Project would nonetheless necessitate minor changes or additions to the FEIR, and thus, the city has prepared an Addendum to the FEIR pursuant to State CEQA Guidelines section 15164; and

**WHEREAS**, pursuant to State CEQA guidelines Section 15164, subdivision (c), the Addendum is not required to be circulated for public review, but can be attached to the FEIR; and

**WHEREAS**, the proposed vacation along Live Oak Avenue is necessary to implement the design and land division contemplated by the Project, thereby supporting the creation of industrial commercial development that align with City's goals; and

**WHEREAS**, Chapter 5 of the City's General Plan establishes a vision that the City promote industrial employee centers near regional transportation routes; and

**WHEREAS**, the City wishes to protect and preserve the quality of life throughout the City, through effective land use and planning; and

**WHEREAS**, the Conditions of Approval for Design Review No. 24-0013 are attached hereto as **Exhibit "A"** and incorporated herein by reference; and

**WHEREAS**, all notices required by statute and the Fontana Municipal Code ("FMC") have been given as required; and

**WHEREAS**, the owners of property within 660 feet of the Project Site were notified via public hearing notice mailer prior to the public hearing; and a notice of the public hearing was published in The Sun newspaper on January 10, 2026, and a notice of the public hearing was simultaneously displayed at City Hall and at the Project Site; and

**WHEREAS**, on January 20, 2026, a duly noticed public hearing on DRP No. 24-0013, was held by the Planning Commission ("Planning Commission") to consider

testimony and evidence presented by the Applicant, City staff, and other interested parties; and

**WHEREAS**, on January 20, 2026, the Planning Commission carefully considered all information, evidence and testimony presented at its public hearing on DRP No. 24-0013; and

**WHEREAS**, all other legal prerequisites to the adoption of this Resolution have occurred.

**NOW, THEREFORE**, the Planning Commission **RESOLVES** as follows:

**Section 1. Recitals:** The above recitals are true, correct and incorporated herein by reference.

**Section 2. CEQA.** As the decision-making body for the Project, the Planning Commission has reviewed and considered the Southwest Industrial Park Specific Plan FEIR and Addendum and Mitigation Monitoring and Reporting Program, any oral or written comments received, and the administrative record prior to making any decision on the Proposed Project. The Planning Commission finds that the Addendum and Southwest Industrial Park Specific Plan FEIR contain a complete and accurate reporting of all the environmental impacts associated with the Proposed Project. The Planning Commission further finds that the Addendum has been completed in compliance with the State CEQA Guidelines and Section 8.06 of the City of Fontana's 2019 Local Guidelines for Implementing CEQA.

**Section 3. Findings on the Necessity for Subsequent or Supplemental Environmental Impact Report.** Based on the substantial evidence set forth in the record, including but not limited to, the Southwest Industrial Park Specific Plan FEIR, the Addendum, and all related information presented to the Planning Commission, the Commission finds that pursuant to State CEQA sections 15162 and 15164 and Section 8.06 of the City of Fontana's 2019 Local Guidelines for Implementing CEQA, an Addendum to the Southwest Industrial Park Specific Plan FEIR is the appropriate document for the Project.

The Planning Commission further finds that the preparation of a subsequent or supplemental EIR is not required for the proposed Project because the Project:

A. Will not result in substantial changes that would require major revisions of the Southwest Industrial Park Specific Plan FEIR due to the involvement of new significant environmental effects or a substantial increase in the severity of previously identified significant effects; and

B. Will not result in substantial changes with respect to the circumstances under which the Proposed Project are developed that would require major revisions of the Southwest Industrial Park Specific Plan FEIR due to the

involvement of new significant environmental effects or a substantial increase in the severity of the previously identified significant effects; and

C. Does not present new information of substantial importance that was not known and could not have known with the exercise of reasonable diligence at the time the Southwest Industrial Park Specific Plan FEIR documents were certified showing any of the following:

- (i) The Proposed Project would have one or more significant effects not discussed in the EIR;
- (ii) That significant effects previously examined would be substantially more severe than shown in the EIR;
- (iii) That mitigation measures or alternatives previously found not to be feasible would in fact be feasible and would substantially reduce one or more significant effects, but the lead agency declined to adopt such measures; and
- (iv) That mitigation measures or alternatives considerably different from those analyzed would substantially reduce one or more significant effects on the environment, but which the lead agency declined to adopt.

**Section 4. Adoption of Addendum.** The Planning Commission adopts the Addendum to the EIR for the Southwest Industrial Park Specific Plan (SCH No. 2009091089) and Mitigation, Monitoring, and Reporting (MMRP) that have been prepared pursuant State CEQA Guidelines Sections 15162 and 15164 along with the City of Fontana's 2019 Local Guidelines for Implementing CEQA and directs staff to file and post a Notice of Determination.

**Section 5. Design Review Findings.** The Planning Commission hereby makes the following findings for DR No. 24-0013 in accordance with Section 30-120 "Findings for approval" of the Fontana Zoning and Development Code:

**Finding No. 1. The proposal is consistent with the General Plan, Zoning and Development Code, and specific plan.**

Findings of Fact: The Project is for the development of a new logistics and distribution warehouse building including office space, of approximately 492,240 square feet, on 22.23 adjusted gross acres. Variations to the building face, varying roof lines and building's height of 42 feet 6 inches high, will make the project architecturally pleasing and be consistent with the surrounding area. The site and building design comply with the criteria contained in the design review section of the Fontana Zoning and Development Code and Southwest Industrial Park Specific Plan/Jurupa North Research and Development District (JND) regulations.

As requested, the project has high quality architecture and appropriate screening comprised of screen walls and landscaping that will make for an appropriate and desirable development.

**Finding No. 2.** **The proposal meets or exceeds the criteria contained in this chapter and will result in an appropriate, safe, and desired development promoting the public health, safety, and welfare of the community.**

Findings of Fact: The development complies with the City of Fontana Zoning and Development Code. The site improvements have been evaluated by the City's Fire, Building and Safety, Engineering, and Police Departments.

**Finding No. 3.** **The proposal, in its design and appearance, is aesthetically and architecturally pleasing, resulting in a safe, well-designed facility while enhancing the character of the surrounding neighborhood.**

Findings of Fact: The light industrial building, including office space, has been thoughtfully designed to enhance and compliment the surrounding neighborhood. The architectural relief for the warehouse building will feature an exterior color of a white, neutral grey tone color palette with dark green accents, with a varied roof line and glazed storefront windows. The materials will result in a high-quality architectural design that is both suitable and appealing for the area.

**Finding No. 4.** **The site improvements are appropriate and will result in a safe, well-designed facility.**

Findings of Fact: The development complies with the City of Fontana Zoning and Development Code. Improvements including streets, sidewalks, drainage, and grading, will provide a safe and well-designed neighborhood.

**Section 6. Approvals.** Based on the foregoing, the Planning Commission hereby approves Design Review No. 24-0013 subject to the Conditions of Approval, attached hereto as "Exhibit A" and incorporated herein by this reference.

**Section 7. General Plan Consistency Finding.** Based on the foregoing, the Planning Commission formally finds and determines that the location, purpose and extent of the street vacation along Live Oak Avenue as depicted in Attachment No. 2 – Project Plan Set within the preliminary grade plans, are in full conformity with the goals, policies, and objectives of the City's adopted General Plan.

**Section 8. Resolution Regarding Custodian of Record:** The documents and materials that constitute the record of proceedings on which this Resolution has been based are located at the Planning Department, 8353 Sierra Avenue, Fontana, CA 92335. This information is provided in compliance with Public Resources Code section 21081.6.

**Section 9. Certification.** The Secretary of the Planning Commission shall certify to the adoption of this Resolution.

**Section 10. Effective Date.** This Resolution shall become effective immediately upon its adoption.

**Section 11. Severability.** If any provision of this Resolution or the application of any such provision to any person or circumstance is held invalid, such invalidity shall not affect other provisions or application of this Resolution that can be given effect without the invalid provision or application.

**PASSED, APPROVED, AND ADOPTED** by the Planning Commission of the City of Fontana, California, at a regular meeting held on this 20<sup>th</sup> day of January, 2026.

**City of Fontana**

---

Idilio Sanchez, Chair

**ATTEST:**

I, Joseph Armendarez, Secretary of the Planning Commission of the City of Fontana, California, do hereby certify that the foregoing resolution was duly and regularly adopted by the Planning Commission at a regular meeting thereof, held on the 20<sup>th</sup> day of January, 2026, by the following vote, to-wit:

**AYES:**

**NOES:**

**ABSENT:**

**ABSTAIN:**

---

Joseph Armendarez, Secretary



**Exhibit "A"**

**CITY OF FONTANA**

**CONDITIONS OF APPROVAL**

**CASE:** Master Case No. 24-0037  
Design Review No. 24-0013

**DATE:** January 20, 2026

**LOCATION:** 14970 Jurupa Avenue  
(APNs: 0237-121-03 & 0237-122-07)

**PLANNING DEPARTMENT:**

1. The rights and privileges granted by this project shall not become effective, nor shall the Applicant commence the use for which this project is granted, until both of the following have occurred:
  - A. All of the improvements, construction, alteration and other work set forth in this project have been completed and have been accepted by the City, as evidenced by the City's issuance of a Certificate of Occupancy or other document evidencing the City's final inspection and acceptance of the work; and
  - B. All other Conditions of Approval imposed by this project have been fulfilled.
2. The applicant/developer/property owner shall defend, indemnify, protect and hold harmless the City of Fontana or its agents, officers, attorneys and employees from any and all actual or alleged claims, actions or proceedings against the City of Fontana or its agents, officers, attorneys or employees to attack, set aside, void, annul or seek monetary damages arising out of any challenge to the applicant's proposed project or to any approvals of the Planning Commission and/or City Council concerning this project, including but not limited to actions challenging California Environmental Quality Act (CEQA) actions, permits, variances, plot plans, design plans, maps, licenses, and amendments. The City of Fontana shall promptly notify the applicant of any claim, action, or proceeding and the City of Fontana shall cooperate in the defense.

In the event of any such third-party action or proceeding, the City shall have the right to retain legal counsel. The applicant shall be responsible and reimburse the City for such legal fees and costs, in their entirety, including actual attorneys' fees, which may be incurred by the City in defense of such action or proceeding. This indemnification shall also include, but not be limited to, damages, fees and/or costs awarded against the City, if any, and cost of suit, attorneys' fees, and other costs, liabilities and

expenses incurred in connection with such claim, action, or proceeding whether incurred by applicant, the City and/or any parties bringing such forth.

The City of Fontana and the applicant acknowledge that the City would not have approved this project if the City were to be liable to applicant in damages under or with respect to all or any part of this application or this condition of approval. Accordingly, applicant shall not sue the City for damages or monetary relief for any matter arising from or related to this condition of approval. Applicant's sole and exclusive remedy shall be limited to declaratory/injunctive relief, mandate, and/or specific performance.

3. This Design Review shall become null and void two (2) years from the date of approval, unless the appropriate permits have been obtained and construction, defined as permit obtainment, commencement of construction of the primary building on site, and successful completion of the first Building and Safety Department inspection, has commenced within this period.
4. The applicant/developer shall comply with the mitigation measures identified in the CEQA Addendum of the Southwest Industrial Park Specific Plan Final Environmental Impact Report (SCH No. 2009091089) Mitigation Monitoring and Reporting Program (MMRP) as approved by the Planning Commission.
5. Prior to the construction of any modifications, all structural and aesthetic changes to the project design must be requested and approved in writing by the Director of Planning or his/her designee. Major structural and aesthetic changes exceeding the codified parameters of administrative policy shall be presented to the Planning Commission for approval. Changes made without approval as stated herein, will prevent the occupancy of the structure until corrections are approved in writing by all appropriate staff.
6. Color combinations and color schemes for buildings approved under a design review application shall not be modified or changed without prior approval of the original approving body by a revision to the original application. Minor hue color changes may be approved by the Director of Planning. The Director of Planning may refer minor hue color changes to the original approving body for consideration under a revision to the original application.
7. Exterior lighting compatible with the design of the building shall be provided for the parking lot. The lighting shall be directed and shielded so as to illuminate only the parking area and to avoid glare impacts on adjacent properties.
8. This project will comply with all applicable provisions, regulations, and development standards of the City of Fontana Municipal Code.
9. The applicant shall meet all the requirements of Chapter No. 9, Article No. 5 (Industrial Commerce Centers Sustainability Standards).

10. A copy of the Industrial Sustainability Ordinance requirements shall be placed on the final grading plans and the final building plans.
11. The applicant shall post a publicly visible sign on the project site with the telephone number and 24-hour point of contact for dust, noise, and construction complaints. The 24-hour point of contact shall be available 24 hours a day, 7 days a week and have authority to commit additional assets to control dust, or respond to construction complaints after hours, on weekends and on holidays. Construction shall be limited to 7:00 am to 6:00 pm on weekdays, 8:00 am to 5:00 pm on Saturdays, and no construction on Sundays and Holidays.
12. Sidewalks shall be provided for all new developments in accordance with the city's circulation element of the General Plan.
13. The applicant shall adhere to the City standard of one foot candle minimum for all entrances, exits, pedestrian paths, parking lots, and activity areas. Reflect all light fixtures on the site plan. All areas shall be illuminated during all hours of darkness and all luminaries utilized shall be vandal-resistant fixtures. The type of lighting shall be fluorescent, white L.E.D.s or metal halide. Provide a photometric layout under separate exhibit to ensure the minimum light standard is met.
14. The applicant shall incorporate an anti-graffiti coating onto the exterior of all proposed block walls to discourage graffiti.
15. The applicant shall meet all requirements of the Trip Reduction Measures in of the Zoning Code (Section 30-962).
16. Seventeen (17) bicycle parking racks or secured bicycle lockers shall be provided.
17. All parking stalls shall be clearly marked by double striping pavement painting. Parking stall sizes shall be measured from the mid-point between the striping. No parking spaces shall be designated in a commercial/retail parking facility, except for disabled persons parking, van pool, carpool, or any other designated parking as required by law.
18. The applicant shall depict step outs in the landscaping areas as required pursuant to the Zoning and Development Code Section No. 30-671(a)(8)c, on the Site and Landscaping plans for the submittal of Planning Department landscape plan check.
19. All signs shall be reviewed under a separate Design Review Sign application.
20. All roof-mounted equipment and ground mounted equipment shall be screened from view from adjacent properties and streets to the satisfaction of the Director of Planning.
21. All landscaping shall be healthy and maintained in a reasonable manner as

determined by the Director of Planning or his/her designee.

22. The transformer shall be screened by either a screen wall or mature, dense landscaping, and not visible from the public right-of-way.
23. After the fifteen (15) day appeal period, the applicant shall remove the Notice of Filing sign(s) from the project site. The applicant may request a refund of the sign deposit; the request shall be in writing accompanied with a refund application. The request shall be submitted to the Planning Department.
24. There shall be no refrigerated uses on site beyond amount analyzed in the Addendum of the Southwest Industrial Park Specific Plan Final Environmental Impact Report (SCH No. 2009091089); unless a future tenant proposes to have such uses conducts an update of the California Environmental Quality Act (CEQA) document and any applicable studies/memorandums to amend this Condition of Approval.
25. Applicant shall pay all applicable service fees pursuant to the City of Fontana Municipal Code.
26. The applicant shall provide up-lighting on the perimeter and up-light proposed trees to the satisfaction of the Director of Planning and his/her designee.
27. All ground mechanical equipment shall be screened to the extent feasible on all sides by a decorative screen wall not less than the height of the equipment being screened in conjunction with landscaping, subject to approval of the Director of Planning. The decorative screen wall shall be located between the street and the mechanical equipment not less than three-foot. The decorative screen wall shall be well incorporated into the design of the building. The other side of the equipment shall be screened with landscaping not less than ten-gallon shrubs or approved landscaping.
28. All fire back flows (DDC/DACA) shall be painted green or an earth tone color.
29. Lighting systems shall be architecturally compatible with surrounding buildings to express the unique character of the area.
30. Historic Archaeological Resources:
  - A. Upon discovery of any tribal cultural or archaeological resources, cease construction activities in the immediate vicinity of the find until the find can be assessed. All tribal cultural and archaeological resources unearthed by project construction activities shall be evaluated by the qualified archaeologist and tribal monitor/consultant. If the resources are Native American in origin, interested Tribes (as a result of correspondence with area Tribes) shall coordinate with the landowner regarding treatment and curation of these resources. Typically, the Tribe will request preservation in place or recovery for educational purposes. Work may continue on other parts of the project while evaluation takes place.

B. Preservation in place shall be the preferred manner of treatment. If preservation in place is not feasible, treatment may include implementation of archaeological data recovery excavation to remove the resource along the subsequent laboratory processing and analysis. All Tribal Cultural Resources shall be returned to the Tribe. Any historic archaeological material that is not Native American in origin shall be curated at a public, non-profit institution with a research interest in the materials, if such an institution agrees to accept the material. If no institution accepts the archaeological material, they shall be offered to the Tribe or a local school or historical society in the area for educational purposes.

C. Archaeological and Native American monitoring and excavation during construction projects shall be consistent with current professional standards. All feasible care to avoid any unnecessary disturbance, physical modification, or separation of human remains and associated funerary objects shall be taken. Principal personnel shall meet the Secretary of the Interior standards for archaeology and have a minimum of 10 years' experience as a principal investigator working with Native American archaeological sites in southern California. The Qualified Archaeologist shall ensure that all other personnel are appropriately trained and qualified.

*Prior To Issuance of Grading Permit*

31. All Conditions of Approval and Mitigation, Monitoring, and Reporting Program (MMRP) contained herein shall be incorporated into all applicable final construction plans and a copy of these conditions shall be placed on a sheet in the final building and grading plans prior to issuance of any building or grading permits.

***PRIOR TO ISSUANCE OF CERTIFICATE OF OCCUPANCY***

32. Prior to issuance of a Certificate of Occupancy, the applicant shall underground all utilities, which for the purpose of this condition shall include all boxes, structures and/or other equipment located in the public rights-of-way, any public utility easement(s), and on any private property, to the satisfaction of the Director of Planning.

33. Development fees and Planning Department final inspection fees must be paid prior to Certificate of Occupancy.

**FIRE DEPARTMENT:**

34. *Jurisdiction:* The above referenced project is under the jurisdiction of the Fontana fire Protection District (herein "Fire Department"). Prior to any construction occurring on any parcel, the applicant shall contact the Fire Department for verification of current fire protection requirements. All new construction shall comply with the current California Fire Code requirements and all applicable statutes, codes, ordinances, and standards of the Fire Department.

35. *Fire Access Road Width:* Prior to map recordation, all fire access roadways shall be designed to meet the requirements for this development and shall be approved by the

Fire Department. All buildings shall have access provided by approved roads, alleys, and private drives with a minimum twenty-six (26) foot unobstructed width and vertically to fourteen (14) feet six (6) inches in height. Buildings three (3) stories in height or more shall have a minimum access of thirty (30) feet unobstructed width and vertically to fourteen (14) feet six (6) inches in height. California Fire Code Chapter 5 & SBCoFD Standard A-1.

36. *Turnaround:* An approved turnaround shall be provided at the end of each roadway one hundred and fifty (150) feet or more in length. Cul-de-sac length shall not exceed six hundred (600) feet; all roadways shall not exceed a 12% grade and have a minimum of nineteen (19) foot inside radius and a forty-five (45) foot outside radius for all turns. California Fire Code Chapter 5 & SBCoFD Standard A-1.

37. *Fire Lanes:* The applicant shall submit a site plan to the Fire Department for review and approval of all proposed signage and striping for all fire access roadways. All curbs adjacent to fire lanes shall be painted red and "No Parking, Fire Lane" signs shall be installed on public and private roads in accordance with approved standards. SBCoFD Standard A-2.

38. *Water System Commercial:* All water supply systems shall be designed to meet the required fire flow for this development and shall be approved by the Fire Department. The required fire flow shall be determined by using Appendix BB of the California Fire Code. A minimum of one new six (6) inch fire hydrant assembly with two (2) two and one half (2 1/2) inch and one (1) four (4) inch outlet (4"x2.5"x2.5") shall be provided. All fire hydrants shall be spaced no more than three hundred (300) feet apart as measured along vehicular travel-ways. California Fire Code Chapter 5 & SBCoFD Standard W-2.

The Fire Flow for this project shall be: 4,000 GPM for a two-hour duration at 20 psi residual operating pressure. Fire Flow is based on a 492,130 Square Foot structure.

39. *Hydrant Marking:* Blue reflective pavement markers indicating fire hydrant locations shall be installed as specified by the Fire Department. SBCoFD Standard W-2.

40. *Water Improvement Plan:* The applicant shall submit "Water Improvement Plans" to Fontana Fire Prevention. W.I.P. to include site plan, existing & proposed PUBLIC fire hydrant locations, building construction type, square foot details of the largest building, total square foot of ALL floors in a multifloored building, square foot size of entire site, and description of what is being constructed/occupancy type. Once approved by Fire Department, applicant will provide stamped/approved W.I.P to water purveyor for their construction needs. **ON-SITE PRIVATE FIRE WATER SUPPLY SHALL BE INSPECTED AND IN WORKING CONDITION PRIOR TO PLACING COMBUSTIBLE MATERIALS**

**ON THE JOBSITE. California Fire Code Chapter 5.**

41. ***Combustible Protection:*** Prior to combustibles being placed on the project site an approved paved roadway providing fire access and fire hydrants providing an acceptable fire flow shall be installed. California Fire Code Chapter 5.
42. ***Fire Sprinkler-NFPA #13:*** An automatic fire sprinkler system complying with NFPA 13 and Fire Department standards is required. A fire sprinkler contractor shall submit three (3) sets of detailed plans to the Fire Department for review and approval. The plans shall include hydraulic calculations and manufacturer specification sheets. The required fees shall be paid at the time of plan submittal. California Fire Code Chapter 9 & SBCoFD Standard F-1.
43. ***Fire Alarm, Manual or Automatic:*** A manual, automatic or manual and automatic fire alarm system complying with the California Fire Code, NFPA 72 and all applicable codes is required. A fire alarm contractor shall submit three (3) sets of detailed plans to the Fire Department for review and approval. The required fees shall be paid at the time of plan submittal. California Fire Code Chapter 9, SBCFD Standard F-5, & NFPA 72.
44. ***Fire Alarm, Waterflow Monitoring:*** A water flow monitoring fire alarm system complying with the California Fire Code, NFPA and all applicable codes is required for fire sprinkler systems with twenty (20) sprinkler heads or more. A fire alarm contractor shall submit three (3) sets of detailed plans to the Fire Department for review and approval. The required fees shall be paid at the time of plan submittal. California Fire Code Chapter 9, NFPA 72 & SBCoFD Standard F-5.
45. ***Smoke Removal:*** An automatic smoke removal system complying with the California Fire Code, NFPA and all applicable codes is required. The applicant shall submit three (3) sets of detailed smoke removal system plans to the Fire Department for review and approval. The required fees shall be paid at the time of plan submittal. California Fire Code Chapter 9.
46. ***Fire Extinguishers:*** Hand portable fire extinguishers are required. The location, type, and cabinet design shall be approved by the Fire Department. California Fire Code Chapter 9.
47. ***Commercial (large facility) Addressing:*** Commercial and industrial developments in excess of 100,000 sq. ft. shall have the street address installed on the building with numbers that are a minimum twelve (12) inches in height and with a one and one half (1½) inch stroke. The street address shall be visible from the street. During the hours of darkness, the numbers shall be electrically illuminated (internal or external). Where the building is two hundred (200) feet or more from the roadway, additional non-illuminated contrasting six (6) inch numbers shall be displayed at the property access entrances. California Fire Code Chapter 5 &

**SBCoFD Standard B-1**

48. ***Key Box:*** An approved Fire Department key box is required. The key box shall be provided with a tamper switch and shall be monitored by a Fire Department approved central monitoring service. California Fire Code Chapter 5 & SBCoFD Standard A-4
49. ***Security Gates:*** In commercial, industrial, and multi-family complexes, all swing gates shall have an approved fire department Knox Lock. Where an automatic electric security gate is used, an approved Fire Department override switch is required. California Fire Code Chapter 5 & SBCoFD Standard A-3
50. ***Material Identification Placards:*** The applicant shall install, in all locations deemed appropriate by the Fire Department, approved material identification placards on the outside of all buildings and/or storage tanks that store hazardous or flammable materials. Additional placards shall be required inside the buildings when chemicals are segregated into separate areas. California Fire Code Chapter 50 & NFPA 704.
51. ***High-Piled Storage:*** The applicant shall submit an application for a High-Piled Storage permit for storage of over 12' in height of Class I-IV commodities and/or over 6' in height of high hazard commodities. Three (3) sets of detailed plans and a commodity analysis report shall be submitted to the Fire Department for review and approval. The applicant shall submit to the Fire Department concurrently with any racking permits to the Building and Safety division. California Fire Code Chapter 32 & SBCoFD Standard S-1.
52. ***Secondary Access:*** The development shall have a minimum of two points of vehicular access during each phase of construction for fire and emergency access purposes and for evacuation routes. SBCoFD Standard A-1
53. ***San Bernardino County Fire Standards/Codes:*** Items not directly called out on these Conditions of Approval, shall also adhere to currently adopted San Bernardino County Fire Standards, California Fire Code, & NFPA.

**Building and Safety:**

54. The applicant shall design the project to show compliance with the latest adopted edition of the following codes as applicable:
  - A. California Building Code
  - B. California Residential Code
  - C. California Electrical Code
  - D. California Mechanical Code
  - E. California Plumbing Code
  - F. California Energy Code
  - G. California Fire Code

H. California Green Building Standards Code

55. The applicant shall install an automatic fire suppression system, which is required in all new construction per FMC Chapter 11 Article II. Design and type of system shall be based upon the requirements of the Building Code, Fire Code and the requirements of the Fontana Fire Prevention District.
56. The applicant shall comply with the requirements of the South Coast Air Quality Management District (909-396-2000). SCAQMD requirements shall be satisfied prior to the issuance of any permit if hazardous materials are stored and/or used.
57. The applicant shall verify that any temporary building, trailer, commercial coach, etc. installed and/or used in connection with a construction project complies with FMC Chapter 5 Article XIV.
58. The applicant shall verify that all perimeter/boundary walls are designed and constructed so that the outer/exterior face of the wall is as close as possible to the lot line. In any case, the outer/exterior face of the wall shall be within two (2) inches of the lot line. Distances greater than two (2) inches may be approved prior to construction by the Building Official on a case by case basis for extenuating circumstances.
59. The applicant shall comply with the following grading requirements:
  - A. Grading plans shall be submitted to and approved by Building & Safety. The grading plans shall indicate all site improvements and shall indicate complete drainage paths of all drainage water run-offs.
  - B. All drainage water shall drain via approved methods to an approved location, such as a public street, a public drainage system, etc.
  - C. Drainage water shall not cross over a public sidewalk. Drainage water may, however, cross under a sidewalk if an approved drainage structure is used.
  - D. A recorded drainage acceptance agreement is required from adjoining property(s) receiving flows from this property.
  - E. No water course or natural drainage shall be obstructed.
  - F. Minimum slope or grade for ALL drainage structures shall be one half (0.50) percent for concrete and one (1.0) percent for all other, or as otherwise approved by the Building Official.
  - G. Drainage water shall not pass from an 'improved' type of drainage structure to an 'unimproved' type of drainage structure (e.g., concrete swale to a dirt swale) unless otherwise approved by the Building Official.
  - H. A complete hydrology study using the latest edition of the San Bernardino County Flood Control Hydrology Manual, and complete hydraulic calculations justifying the size, slope, capacity, etc. of any and all drainage structures being utilized, shall be submitted to and approved by Building & Safety.

The on-site drainage system shall, as a minimum, be designed to handle the run-off generated by a ten (10) year storm. Check for flooding of all on-

site structures (buildings) and all adjacent properties during a hundred (100) year storm.

- I. The grading plans shall, as a minimum, contain sections at all lot lines and/or permit boundary lines. These sections shall clearly indicate:
  1. The relationship between the proposed finished on-site grade elevations and the existing adjacent property grade elevations (Indicate any additional drainage water that may come from an adjacent property.); and
  2. The ground cover/finished surface material being proposed (e.g., type of pavement, plant material, etc.); and
  3. All proposed drainage structures; and
  4. Any proposed and/or required walls or fencing.

60. The applicant is required to obtain permits for the removal and/or demolition of structures.

61. The applicant shall verify that all exterior lighting shall be oriented, directed, and/or shielded as much as possible so that direct illumination does not infringe onto adjoining properties.

***PRIOR TO ISSUANCE OF BUILDING/CONSTRUCTION PERMITS***

62. The following items (as applicable) shall be completed by the applicant and submitted to Building & Safety prior to the issuance of building permits for this project:

- A. Precise grading plans shall be approved.
- B. Rough grading completed.
- C. Compaction certification
- D. Pad elevation certification
- E. Rough grade inspection signed off by a City Building Inspector

***Specific Conditions:***

63. Project must comply with Article V of the Fontana Municipal Code "Industrial Commerce Centers Sustainability Standards."

**ENGINEERING DEPARTMENT:**

64. The Project shall be served by the City's sanitary sewer system, all sewer facilities shall be constructed in accordance with the City Standards. Main trunk sewer line shall be in accordance with master sanitary sewer plan or as approved by the City Engineer.

65. The Applicant shall obtain design and plan approval from all utility providers having jurisdiction over the on-site and off-site utilities. Completion of all undergrounding of on-site and off-site utilities is required by Section 27-52 of the City Municipal Code and in accordance with plans and specifications approved by the City Engineer.

66. The Applicant shall maintain all improvements and utilities within the public right-of-way, including street sweeping, prior to issuance of final certificate of occupancy by the City.

67. Project required to consolidate all lots, dedicate all required R/W, and Vacate public R/W as shown on the entitlement documentation.

68. Grading plans shall be submitted to the Engineering department. Grading plans to follow and be in compliance with the latest edition of the California Building code and City requirements.

*PRIOR TO ISSUANCE OF GRADING PERMIT*

69. The Applicant shall submit and gain approval of a complete Water Quality Management Plan report in accordance with the County of San Bernardino Technical Guidance Document and latest template. All outstanding comments regarding the preliminary WQMP must be resolved and incorporated into the Final WQMP.

70. The Applicant shall submit and gain approval of a final drainage study prepared in accordance with the County of San Bernardino Hydrology Manual and Fontana Master Plan of Drainage. All outstanding comments regarding the preliminary WQMP must be resolved and incorporated into the Final WQMP.

*PRIOR TO ISSUANCE OF ANY OTHER CONSTRUCTION PERMITS*

71. The Applicant shall provide a Land Improvement Agreement, with accompanying security. The agreement shall be executed on City-provided forms.

72. The Applicant shall record All lot line adjustments, right-of-way dedications, easements, and R/W vacations as required for the development.

73. The Applicant shall submit engineered improvement plans and obtain full approval. All required public improvements, including but not limited to streets, Median improvements, storm drainage systems, sewers, traffic signals, streetlights, striping, signs, landscape, and any required traffic control and/or detour plans. For a full list of traffic requirements, refer to the Traffic Division's conditions of approval. All plans shall conform to City Standards and Specifications, and as approved by the City Engineer.

74. The Applicant shall perform a pavement quality analysis by a qualified geotechnical engineer for Live Oak, Jurupa, and Hemlock for the City to review and approve. Live Oak, Jurupa, and Hemlock along the project frontage shall be fully replaced to bring the pavement structural section into conformance with City Standards. Any remedial action less than full replacement shall be justified by the pavement analysis and shall bring the pavement condition to a 20 year pavement life.

*PRIOR TO ISSUANCE OF FINAL CERTIFICATE OF OCCUPANCY*

75. Complete all public improvements required of the project. Underground utilities required of the project. Ensure streetlights are energized and operating properly.

76. The Applicant/Engineer to provide the City of Fontana with As Built/Record Drawings for all public improvement plans. The Applicant/Developer shall provide a copy of the streetlight electric bill.

77. Slurry seal roads effected by the development as directed by the inspector. Slurry seal limits may extend past the project frontage to address existing striping/pavement markings that conflicts with new striping/pavement markings, repair trenches, and other areas as determined by the inspector.
78. The Surveyor of Record shall provide centerline ties to the City of Fontana reflecting proper setting of all survey monuments within the project limits and replace any existing survey monuments damaged or removed during construction.
79. The Surveyor of Record shall set survey monuments as required by the map and corner records must be recorded with the County. The Surveyor of Record shall notify the City in writing that monuments have been set in accordance with the recorded subdivision map and he/she has been paid in full for doing so.
80. The Applicant/Landscape Architect shall provide a "Landscape Certificate of Compliance" certifying that the work has been designed, installed, and will be maintained in accordance with the City of Fontana's Model Water Efficiency Landscape Ordinance (Ordinance 1743, FCC Section 28).
81. All sewers shall be video inspected by applicant/contractor. Sewer video shall include clean-out connection, clean-out to lateral segment, lateral, and main line. Contractor performing the video inspection must have a NASSCO PACP, LACP, and MACP certification. Applicant shall provide a copy of the video on DVD or flash drive to inspection staff with an accompanying full report. Videos to be inspected and approved by City Inspector. If removal and replacement of any utility is required, a subsequent video of the repair will be required.
82. All storm drains shall be video inspected by applicant/contractor. Storm drain video shall include main lines and laterals. Applicant shall provide a copy of the video on DVD or flash drive to inspection staff. Videos to be inspected and approved by City Inspector. If removal and replacement of any utility is required, a subsequent video of the repair will be required.
83. The Applicant/Engineer of Record shall submit a conforming copy of the recorded Memorandum of Agreement for the Water Quality Management Plan and Storm Water Best Management Practice transfer. The Access, Maintenance, and the WQMP Certification for BMP Completion must be submitted to the City Project Engineer.

**ENGINEERING TRAFFIC:**

84. Project ingress and egress locations and restrictions shall be as follows, with additional or lesser restrictions being necessitated subject to changes in the site plan and approval of the City Engineer:
  - A. The Project may have up to two (2) ingress/egress points along Live Oak Avenue which may allow for full access (i.e., left- and right-turning inbound

and outbound) movements. The southerly project driveway along Live Oak Avenue shall be designed, constructed, and signed to prohibit regular commercial truck access.

- B. The Project may have up to two (2) ingress/egress points along Hemlock Avenue which may allow for full access (i.e., left- and right-turning inbound and outbound) movements. The southerly project driveway along Hemlock Avenue shall be designed, constructed, and signed to prohibit regular commercial truck access.
- C. Ingress and egress restrictions shall be reinforced with appropriate signage and/or pavement markings. The prohibition of commercial truck access at the southerly driveways on both Live Oak Avenue and Hemlock Avenue shall be visible to drivers in the public Right-of-Way.

85. Left-turn ingress and/or egress at all access locations may be restricted in the future due to traffic operational or safety concerns. Alternatives to such restrictions may be considered, subject to approval of the City Engineer.

86. All gated ingress locations which do not provide adequate space within the Project site for the design vehicle to turn around shall be designed so that the gate position as either opened or closed is visible to drivers in the public Right-of-Way. At no time shall the design and gating of Project driveways require vehicles to reverse into a travel lane in the public Right-of-Way in order to depart or turn around. This requirement may be excluded if the gate is manned at all times with personnel who may permit an errant driver to enter the site in order to turn around and depart.

87. Stopping sight distance must be shown to meet the required standards both horizontally and vertically at all ingress/egress locations including consideration for walls, landscaping, grading, and vegetation. Sight distances shall comply with current AASHTO requirements.

88. The site plan shall identify the on-site vehicular traffic flow patterns and circulation, on-site signing and striping, and any restricted, reserved, or other pre-designated parking areas.

89. The Applicant shall design and construct a raised median along Jurupa Avenue in order to close the existing median break along the Project's frontage.

90. The Applicant shall provide a striping and signing plan for all roadway improvements, subject to the approval of the City Engineer as part of the approval of the street improvement plans.

91. The Applicant shall pay the required fair share cost towards signalization of the Hemlock Avenue/Slover Avenue intersection as determined in the approved Traffic Impact Analysis. The fair share payment shall be made prior to the issuance of any occupancy permits.
92. The Applicant shall pay the applicable Development Impact Fees prior to the issuance of any occupancy permits at the established rate pursuant to Government Code Section 66007.
93. The location of bicycle parking shall be depicted on the site plan. The number of bicycle parking spaces shall be determined in compliance with the City of Fontana Zoning and Development Code. Bicycle parking shall comply with the Association of Pedestrian and Bicycle Professionals' (APBP) bicycle parking design guidance. In the event that the Fontana Zoning and Development Code and the APBP guidance differ, the Fontana Zoning and Development Code requirements shall prevail.
94. The site plan shall identify all pedestrian access ways and traffic crossings. Crossings shall be clearly marked, lighted, and identified throughout the interior of the project. Pedestrian walkways shall have sufficient pathway lighting.
95. The site plan shall identify the Americans With Disabilities Act (ADA) compliant path(s) of travel to/from the public right of way and from all ADA accessible parking spaces.