



GURKHA MPV

Issued to:
Fontana Police Department
17005 Upland Ave
Fontana, CA
92335

Sgt. Eddie Stewart Phone: 909-350-7725 Email: estewart@fontanaca.gov

№ of pages: 7

BASE VEHICLE SPECIFICATIONS

Ballistic & Blast Resistance

Opaque Armor NIJ IV: 30-06 M2 Armor Piercing multi-hit

UL752 Level 10: .50 Caliber M33 20mm Fragment Simulating Projectile Obliquity angle: Verticals at 0° / roof at 30°

Firewalll Armor Included in base price

Fuel Tank Armor

Transparent Armor

NIJ III: 7.62 x 51 M80 multi-hit

NIJ IV: 30-06 M2 Armor Piercing

UL 752 Level 10: 50 Caliber M33

Obliquity angle: 0°

Glass thickness: 2.5 inches / 63 mm

Blast 2 x DM51 grenades detonated simulteneously

Performance

Base Chassis Ford F550 4x4

Engine 7.3L V8 Gas engine - 350 HP / 468 lb-ft. Torque

Transmission 10-speed automatic with tow/haul mode Transfer Case 2-speed with electronic shift on the fly 4x4

Rear Differential 4.88 ratio with limited slip

Brakes Four-wheel disc anti-lock brakes (ABS)

Suspension Custom tuned shocks with external reservoir. Upgraded HD steering damper

Front Springs Upgraded coils Rear Springs Multi-leaf springs

Wheels Four (4) 20" x 11" wheel assemblies

Run Flats Run flats in all wheels

Tires 41 inch Continental MPT 81 or Michelin X Force ZL (335/80R20)

Capability

Approach Angle 31° - 42° Departure Angle 25° - 29°

Ground Clearance 11.5 inches - ground to rear differential case

22 inches - ground to side step

Turning Radius Outside: 22 feet

Inside: 10'2"

Track Width 82 inches
Slope Gradient 60%
Side Slope 40%
Water Fording 41 inches
Vertical Step 18 inches
Trench 27 inches
Top Speed 70 mph - tire rated

Fuel Range 425 miles

Capacities & Dimensions

GVWR 19,500 lbs GAWR Rear 14,706 lbs GAWR Front 7,500 lbs

Curb Weight 16,800 lbs - Base model Payload 2,700 lbs - Base model

Fuel Tank 40 gallons
Length 256 inches
Width 102 inches

Height 102 inches - roof hatch

115 inches - cupola

Wheelbase 145 inches - unaltered chassis with valid Ford OEM warranty

Interior

Front Seats Driver & passenger front seats with arm rest

Rear Seats Two (2) side facing bench seats with three 2-point seatbelts at each bench

Bench seats lift up to access storage area

Air Conditioning Factory AC & heat in front cab
Insulation Insulation in walls, ceiling and floor

Center Console Center console with backlit accessory switches, two (2) cup holders and cell phone storage pockets

Ceiling Console Ceiling mounted console with white map lights and spare upfitter switches

Headliner Heavy duty automotive grade fabric upholstered headliner

Lighting Seven (7) white & red LED lights in the occupant area - individually switched or master switch Audio OEM Ford Infotainment system with AM/FM, Apple CarPlay, Android Auto and 8 inch screen

Grab Handles Grab handle at each door and six (6) grab handles mounted to the rear ceiling

Tie-Downs Muli-positional rail tie-down system mounted to both bench seats Ventilation Smoke extraction fan mounted at the driver side rear area

Storage One (1) storage pocket at each front door
Two (2) storage nets at each rear bench seat

Exterior

Paint Client to specify color or provide paint code
Tow Hooks Two towing hooks mounted at front and rear

Side Mirrors Two power adjustable side mirrors Fuel Access Fuel tank access door with key lock

Side Steps Full length side steps coated in black Line-X positive grip coating

Full width rear step coated in black Line-X positive grip coating

Secondary rear step hinged for departure angle breaches

Hand Rails Roof mounted handrails on driver and passenger side upper body line

Roof mounted handrail on rear upper body line

Line-X positive grip coating applied to all exterior hand rails

Roof Grip tape strips added to roof for positive grip

Bumpers Heavy duty integrated front bumper

Full width rear step deck

Side Doors Two (2) side doors

Rear Doors Two (2) rear entry doors – 50/50 Door Locks Internal dead bolt locks at all doors

Hold-open locks on all side doors at 90 degrees

Hold-open locks on both back doors at 90 degrees and 180 degrees

Interior manual lock at each door

Exterior key lock at each door - all door locks keyed the same

Exterior Lights LED headlights with integrated turn signals

LED tail lights and license plate light

Five (5) amber clearance LED lights mounted at the front roof Two (2) amber marker LED lights mounted at front corners Five (5) red clearance LED lights mounted at the rear roof

Windows One-piece windshield (two-piece windshield available)

Full view windows at both front doors

One (1) 17 x 25 glass at each rear side door (when equipped as a 4-door configuration)

Two (2) portal glass (14 x 6) along passenger side and driver side - 4 in total

One (1) portal glass (14 x 6) at each back door

OPTIONAL UPGRADES

		OF HONAL OFGRADES	
		Tactical Options	\$10,000
	1	Low profile sliding hatch with height adjustable operator stand	\$10,000
	2	Manual rotating roof hatch with gun port and height adjustable operator stand	\$20,000
	3	Manual rotating cupola with height adjustable operator stand	\$5,000
	4	Gun ports: 4 per side / 2 at rear door (10 total)	\$4,500
	5	Static position (non operable) breaching ram with external or internal storage	\$9,500
□ ,	6	Power operable breaching ram with 3 breaching heads and hood mounted camera	\$1,500
	6P	Provision for power ram. Includes front mounts, wiring and external storage racks	\$13,500
	7	6 canister chemical munitions delivery system (CTS & Deftech compatable)	\$6,500
	8	Ram cam breaching head with four (4) multi-position cameras	\$3,500
	9	Power operable ballistic skip shield – NIJ III armor (7.62 x 51 M80 ball multi-hit)	\$8,000
	10	Fire suppression system at all wheels - manual trigger	\$7,000
	11	Fire suppression system at engine - automatic trigger Breathing air tank with quick release hose fitting at each seat (masks sold separately)	\$11,000
	12	Breatning air tank with quick release flose fitting at each seat (masks sold separately)	\$3,000
	13	Protective steel mesh on all windows (removable)	\$6,850
	14	Explosive gas detection system	\$6,850
	15	Radiation detection system	\$2,000
	16	Four (4) side door configuration Transparent armor upgrade from 2.5 inch thickness increased to 3 inch thickness	\$5,000
	17		\$16,750
	18	LRAD 100X with magnetic mount Provision for LRAD 450XL. Includes wiring harness and roof mounted pedestal	\$5,850
	18P	LRAD 450XL roof mounted with standalone MP3 controller	\$35,325
	19	Roof mounted water monitor with joystick	\$42,500
	20	Floor mounted gun rack for 2 rifles (includes 2 suppressor cups & 2 standoff plates)	\$1,350
	21	5-piece magnetic storage kit	\$1,000
	22	Exterior Lighting Options	300 A 100 A
	22	Two (2) front roof mounted LED search lights	\$2,500
	23	Two (2) rear roof mounted LED search lights	\$2,500
	24 25	Wheln Arges search light	\$2,325
	26	10 inch LED scene lights - left & right side mount	\$2,000
	27	30 inch LED takedown lightbar mounted at the front bumper	\$1,800
	28	Two (2) infrared lights mounted on front bumper	\$1,500
	29	Two (2) LED fog lights mounted on front bumper	\$1,200
	30	Whelen CenCom Core Emergency Light Package	\$10,500
	30	Four (4) roof mounted 30 inch light sticks - red & blue	
		16 Red/Blue perimiter flashers: 6 @ front, 4 @ rear, 3 @ both sides	
		Public Address System: 200W siren with two (2) x 100W speakers	
		Blackout switch to disable exterior lighting	
		Wigwag flashers in headlights	
	31	Soundoff Signal bluePRINT Emergency Light Package	\$9,500
	J1	Four roof mounted LED red & blue light sticks+scene lights. FR/RR 26" & Sides 39"	
		16 red & blue perimiter flashers with scene lights: 6 @ front / 4 @ rear / 3 @ both sides	
		Public Address System: 200W siren with two (2) x 100W speakers	
		Blackout switch to disable exterior lighting	
		Wigwag flashers in headlights	
	32	Roof mounted traffic light pre-emption strobe (infrared not GPS)	\$3,000
	33	Low frequency siren with 2 x external speakers	\$2,500
	34	Install customer supplied dashcam	\$500
	35	Install customer supplied police radio (delivery to Terradyne & coax cable included)	\$1,350
	36	Install customer supplied emergency lighting	\$2,000
		••	

		Electronic Options	
	37	Intercom system – inside / outside	\$1,500
	38	Battery charger with auto eject receptacle	\$3,400
	39	Color Camera: Roof Mounted Pan / Tilt / Zoom color camera	\$9,800
		CCD PTZ camera, 30x zoom, search light, IR light, lens wiper, joystick controller,	
		dash mounted 9 inch touch screen monitor with 256 GB DVR, 15 inch rear monitor	\$0.000
	40	Thermal Sensor: Roof Mounted Pan / Tilt thermal sensor:	\$9,800
		320 x 240 thermal sensor with remote control, audible and visual alerts for person	
		& vehicle detection, 9 inch dash mounted touch screen monitor with 256 GB DVR,	
		15 inch rear monitor	\$26,000
	41	Color & Thermal: Pan/Tilt/30x Zoom CCD color camera, thermal sensor (640x480),	\$26,000
		controller, 9 inch touch screen monitor with 256 GB DVR, 15 inch rear monitor	\$48,000
	42	Color & Thermal: Rvision PTZ color camera with 35mm thermal sensor, 9 inch touch	\$40,000
		screen monitor with 256 GB DVR, 15 inch rear monitor, Look contoler with monitor	\$5,250
	43	TAV-4GLTEWIFI Cellular Modem/WiFi/Video Server Assembly	\$5,250
	44	Reverse camera with no monitor (for options 38 - 41)	\$1,200
	45	Reverse camera with 9 inch monitor	\$800
	46	Four (4) reverse proximity sensors with audible / visual alert	\$900
	47	15 inch ceiling mounted monitor for rear occupants	\$750
	48	Front hood mounted view camera	\$3,950
	49	360 camera system with 10 inch monitor & 10TB DVR	\$2,000
	50	Two (2) side mounted surveilance cameras	\$1,500
	51	2,000W AC/DC power inverter Blackout switch to disable all exterior vehicle and emergency lighting	\$1,000
	52	6 USB charging ports - 4 in cab / 8 in rear	\$500
	53	Heated windshield	\$1,500
	54 55	Remote power door locks integrated with key fobs	\$1,000
П	33	Interior Options	
	56	4-way power adjustable driver and front passenger seats (\$1,650 each)	\$3,300
	57	Two (2) rear facing jump seats	\$2,500
	58	Ceiling mounted AC & heat for rear occupants (engine driven)	\$4,500
	59	Independent heater (operates with engine off)	\$6,000
	60	Medic Layout Package (TEMS)	\$18,900
	00	Offroad Options	
	61	Front bumper mounted 17,500 lb capacity winch	\$3,500
	62	17,500 lb winch with front & rear receivers - stored inside vehicle	\$5,000
	63	External mount high output air compressor with two quick release couplers	\$5,000
	64	Front differential lock (**Recommended**)	\$3,000
	65	Water fording kit - air intake snorkel & differential snorkel vent tubes	\$15,000
	66	Raised high-water exhaust tailpipe with protective heat shield	\$4,500
_		Exterior Options	
	67	Towing package with class IV rear hitch	\$1,500
	68	Spare wheel assembly packaged loose (includes runflat)	\$5,500
	69	Paint upgrade from matte/satin finish to base clear finish (clear coat)	\$2,000
	70	Line-X coating on rear fenders and bottom half of vertical sides	\$6,500
	71	Dual exterior storage compartments with locking handles	\$3,500
		Ford F550 Chassis	
	72	6 piston front brake caliper upgrade - includes HD brake pads	\$5,650
	73	6.7L V8 turbo diesel 330HP / 950 lb-ft torque (4.30 rear LSD)	\$9,995
_		Training	2129
	74	Tactical Armored Vehicle Operations training by Integrated Tactical Concepts	\$18,000
		Two days of training at your location for up to 20 students (CA POST approved)	A. C. C. C.
	75	Two days of vehicle familiarity training at your facility by Terradyne staff member	\$5,000

PRICE & TERMS

Vehicle Description: GURKHA MPV

Chassis:

Ford F550 4x4 (United States specification)

Market Zone:

United States

Quantity:

One (1)

Price Code:

Law Enforcement

Base Vehicle:

\$235,000

Optional Upgrades:

Subtotal:

\$235,000

\$0

Shipping:

\$13,800

\$248,800

Total Cost (USD)

Basis: Ex-works Factory Newmarket Ontario Canada and free of all Canadian

duties and/or taxes. (state taxes are the responsibility of the end user)

Lead time: 30 - 32 weeks from receipt of Purchase Order

Shipping: Delivered on a trailer with ramps

Payment Terms: Net 30 days

Validity: 30 Days

TERRADYNE LIMITED WARRANTY

Terradyne warrants any items installed, and conversion related to custom workmanship for three (3) years. Any suspected warranty related work must be first be confirmed as being necessary by means of a technical consultation with a representative of TERRADYNE ARMORED VEHICLES INC.

Technical consultation regarding any deficiency repairs or malfunctions is available by telephone during our normal business hours Eastern Standard time at 905-895-1010.

Ballistic transparencies are warranted for three (3) years; however the Warranty excludes damage to bullet resistant glass caused by stones, malicious damage, projectiles or other flying objects.

Warranty work to be directly covered by TERRADYNE may be performed locally only after assessment and authorization by TERRADYNE. TERRADYNE shall, upon consultation and approval, make payment for any/all repairs deemed to be of a reasonable nature by the Company.

TERRADYNE does not cover any OEM vehicle parts and components that we have not been modified no performed work on, during the armoring process. Such parts and components are the sole responsibility of the client and the vehicle's Original Equipment Manufacturer.

TERRADYNE assumes no responsibility for damages incurred through vehicle misuse or abuse, negligence, accidental damage, or any unauthorized modifications or alterations made to the vehicle following delivery of the vehicle to the client. Under the terms of this limited warranty, TERRADYNE shall in no way be held liable for any incidental or consequential damages arising from loss of use or loss of time, inconvenience, or commercial loss resulting from the need for warranty work. This warranty covers the repair and/or replacement of warranty related items only, and any non-warranty related additional costs incurred remain the responsibility of the client.

Accessories not directly related to the armoring process (winches, lighting, electrical accessories and components) shall be covered by the warranties of their respective manufacturers and are not included in the warranty coverage provided by this agreement. However, although TERRADYNE does not warrant these items directly in any way, we do agree to offer all reasonable assistance in obtaining service from their companies of origin. Should there be any undue difficulties with obtaining servicing of these accessories; TERRADYNE will also agree to replace them for the client at our current wholesale cost price. The client shall remain responsible for any/all shipping and handling fees or incidental costs associated with the replacement of such items, as well as the aforementioned replacement costs.

Terradyne optional limited warranty extension available: 1 year / 20,000 miles

Ford Motor Company Warranty Coverage:

Powertrain: 5 years / 60,000 miles Gas engine: 5 years / 60,000 miles Diesel engine: 5 years / 100,000 miles